

Resistance Management symbols and signal words (Group 7,M Fungicide)

Arrest[®]-75W

Wettable powder
Systemic turf fungicide

Contains carbathiin, oxycarboxin and thiram for the control of pink snow mold (*Fusarium nivale*), grey snow mold (*Typhula spp.*) and low temperature basidiomycete.

AGRICULTURAL GUARANTEE:

Carbathiin	20.0%
Oxycarboxin	5.0%
Thiram	50.0%

REGISTRATION No.13431
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING
MADE IN CANADA

Precautionary symbols and signal words ((Warning, Poison)

WARNING POISON

NET CONTENTS
10 X 1.5 kg

Chemtura Canada Co./Cie
25 Erb St., Elmira, ON N3B 3A3
24 HOUR EMERGENCY PHONE:
(866) 744-3060

®Registered Trademark

ARREST-75W Fungicide is a combination of two systemic fungicides (Vitavax® and Plantvax®) plus a contact fungicide (Thiram) to control PINK SNOW MOLD (*Fusarium nivale*). GREY SNOW MOLD (*Typhula spp.*) and the LOW TEMPERATURE BASIDIOMYCETE on golf greens, fairways, bowling greens, lawns, parks, grass tennis courts, turf farms, or other fine turf areas.

DIRECTIONS FOR USE:

ARREST-75W Fungicide can be applied to turf as either a wet or dry treatment.
DO NOT APPLY BY AIR.

Wet treatment -Apply **ARREST-75W** Fungicide as a spray with enough water to provide uniform coverage. This amount of water may range from 15-50 litres per 100 m². Make sure **ARREST-75W** Fungicide and water suspension is thoroughly mixed before spraying. Maintain agitation while spraying. Addition of spreaders, stickers or wetting agents is not necessary.

Dry treatment -Apply **ARREST-75W** Fungicide in a dry mixture with 2-5 kg of organic carrier such as processed sewage sludge per 100 m². Make sure **ARREST-75W** Fungicide is uniformly incorporated in the mixture. Apply with a mechanical spreader in such a manner as to achieve a uniform coverage.

RATE OF APPLICATION:

Apply **ARREST-75W** Fungicide at a rate of 250-375 g of formulation per 100 m². Use higher rate in areas where severe disease incidence is expected.

TIME OF APPLICATION:

Apply **ARREST-75W** Fungicide in the late fall after ground has frozen before snow cover. One application should be sufficient. Reapply if it rains after treatment or if thaws occur during winter.

USE RESTRICTIONS:

1. Do not contaminate feed or foodstuffs.
2. Do not contaminate ponds, lakes or streams.
3. Store **ARREST-75W** Fungicide in a dry place.
4. Apply only to areas specified on this label.

RESISTANCE MANAGEMENT

For resistance management, please note that **ARREST-75W** Fungicide contains both Group 7 and Group M fungicides. Any fungal population may contain individuals naturally resistant to **ARREST-75W** Fungicide and other Group 7 or Group m fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Appropriate resistance-management strategies should be followed.

To delay fungicide/bactericide resistance:

- Where possible, rotate the use of **ARREST-75W** Fungicide or other Group 7 and Group M fungicides with different groups that control the same pathogens.
- Use tank mixtures with fungicide/bactericides from a different group when such use is permitted.
- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.
- For further information and to report suspected resistance, contact Crompton Co./Cie at (800) 350-1745 or at www.chemtura.com.

PRECAUTIONS:**KEEP OUT OF REACH OF CHILDREN.**

1. Do not take internally.
2. Avoid breathing dust or spray mist.
3. Avoid contact with eyes.
4. Avoid contact with skin.
5. Do not consume alcoholic beverages within 24 hours of handling **ARREST-75W** Fungicide.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

Take container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.