

KE

TERRANEB SP
TURF FUNGICIDE

WETTABLE POWDER

COMMERCIAL

READ THE LABEL BEFORE USING

GUARANTEE: CHLORONEB 65%

REGISTRATION NO: 10886
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1.36 Kg

Patented 1966

KINCAID ENTERPRISES INC
2805 Northridge
Athens TN 37303
United States

GENERAL INFORMATION:

TERRANEB SP turf fungicide wettable powder is recommended for the treatment of turfgrasses for the control of snow mold (Typhula) and Pythium blight.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May irritate eyes, nose, throat and skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wash hands before eating or drinking. Wear waterproof gloves when mixing and handling. Do not graze or feed clippings from treated areas to livestock. Toxic to fish. Do not apply to water or contaminate water ways when cleaning equipment.

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control centre or doctor for treatment advice. **If on skin or clothing:**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed:**

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If inhaled :** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL:

1. Make the empty container unsuitable for further use.
2. Dispose of the container in accordance with provincial requirements.
3. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE:

TURF DISEASES

GRAY SNOW MOLD(Typhula sp.) - For the control of Gray Snow Mold, apply 175-275 g of TERRANE B SP turf fungicide wettable powder per 100 m² in sufficient water to give complete coverage, usually 15-20 L. Apply as a spray as late in the fall as possible prior to snowfall.

PYTHIUM Blight - For control of Pythium blight on established turf, apply TERRANE B SP turf fungicide wettable powder as a preventive at a rate of 125 g per 100 m² in 15-20 L of water. Apply during periods of high temperature and humidity favourable to the development of disease. Repeat in 5 to 7 days if conditions persist.

For the control of Pythium blight on new seedlings, apply TERRANE B SP turf fungicide wettable powder at the rate of 125 g per 100 m² immediately after seeding. Repeat in 7 to 10 days if conditions remain favourable to the development of disease.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Purchase of this material does not confer any rights under patents of countries outside Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.